

CARVING

SERIES



B E A U T Y

LIKE NEVER BEFORE

600x1200mm

GVT | PGVT

2023 COLLECTION

Made in India

Each product we manufacture is conceived and produced entirely in India with a refined design and a particular care to make the room area unique and special. Savino is an ever-evolving company with a look at the future and a continuous innovation for increasing improvement through quality and care that characterized our production. The "Made in India" value can easily be seen through the wide range of high quality products which are conceived with a unique design that combines elegance, comfort and functionality.



APPLICATION



RESIDENCES



GARDEN &
POOLS



HOTELS



OFFICES



RESTAURANTS



SHOPS



AIRPORTS



MALLS



SPACES
PUBLIC



RAILWAY
STATIONS



BATHROOMS



KITCHENS







AMALFI BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm


CARVING
SERIES _____



AMALFI GREY

Size :
600x1200mm

Random



Thickness :
8.5mm


CARVING
SERIES _____



ARMANI BRITON GREY


Size :
600x1200mm

Random



Thickness :
8.5mm




CARVING
SERIES _____



BERGEN NATURAL

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



CASTEL EMPIRE

Size :
600x1200mm

Random



Thickness :
8.5mm



CARVING
SERIES _____



CAUTION CREMA

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



CHIPS GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____





DENIZL GREY


Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



DENIZL CREMA


Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



ELECTRA UMBER

Size :
600x1200mm

Random



Thickness :
8.5mm


CARVING
SERIES _____



ELENZA NERO

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____





FLAVIA BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



FLAVIA WHITE

Size :
600x1200mm

Random



Thickness :
8.5mm



CARVING
SERIES _____



FLUENCE SLATE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



HYPER BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____





IMPASTA GREY

Size :
600x1200mm

Random



Texture :
Seamless

Thickness :
8.5mm

CARVING
SERIES _____



JORDAN BROWN

Size :
600x1200mm

Random



Thickness :
8.5mm




CARVING
SERIES _____



KERIYO GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



LENZO NATURAL

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



LEAF WHITE

Size :
600x1200mm

Random



Texture :
Seamless

Thickness :
8.5mm

CARVING
SERIES _____



MEHRONS NATURAL

Size :
600x1200mm

Random



Texture :
Seamless

Thickness :
8.5mm

CARVING
SERIES _____






MIAMI WHITE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



NEBULA BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



NEBULA GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



OLMPIYA SILVER

Size :
600x1200mm

Random



Texture :
Seamless

Thickness :
8.5mm

CARVING
SERIES _____





PINE WOOD BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



PARLINA NATURAL

Size :
600x1200mm

Random



Thickness :
8.5mm



CARVING
SERIES _____



RIVERA GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



ROSALIA NATURAL


Size :
600x1200mm

Random



Thickness :
8.5mm





CARVING
SERIES _____



STREAM DECOR

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____






TITAN GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES



VINTAGE BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____



VINTAGE GREY

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____






WIPER BEIGE

Size :
600x1200mm

Random



Thickness :
8.5mm

CARVING
SERIES _____

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value >90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3< Gloss Value <7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7< Gloss Value <18	Gloss Meter 60°
Structural Properties			
Water absorption	≤0.50 %	≤0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Polished Min. 4* / Satin, Posh & Matt Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Polished Min. 2 / Satin & Posh Min. 3 / Matt Min. 4	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<12) / Posh ≥P1 (12-24) / Matt ≥P2(25-34)	BS 7976-2
Slip resistance(DCOF) (R value) ##	as per mfg.	R9 to R13	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.
Parameters are applicable for 1st Choice/Premium Grade Materials Only.			

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX
GLAZED PORCELAIN TILE	600x1200mm / 24"x 48 INCH	8.5mm	2 pcs.

